MOLECULAR PHYSICS, 1996, VOL. 87, NO. 6, 1477–1483

Index of Authors

with the titles of papers

AGEEV, S. Z., and SANCTUARY, B. C.: Selective excitation of single and multiple quantum transitions for spin 7/2 in NQR, 1423
ALANKO, S. *see* Pietilä, J.
ANTTILA, R. *see* Pietilä, J.
ÅKESSON, T. *see* Greberg, H.

BACSKAY, G. B. *see* Grimm, A. R.
BADER, J. S. *see* Deem, M. W.
BAROŠOVÁ, M., MALIJEVSKÝ, M., LABÍK, S., and SMITH, W. R.: Computer simulation of the chemical potentials of binary hard-sphere mixtures, 423
BARROW, R. F., TAHER, F., D'INCAN, J., EFFANTIN, C., ROSS, A. J., TOPOUZKHANIAN, A., WANNOUS, G., and VERGÈS, J.: Electronic states of Bi_2, 725
BAUMGARTEL, H. *see* Biehl, H.
BELLISSENT-FUNEL, M.-C. *see* Farman, H.
BERGENHOLTZ, J., WU, P., WAGNER, N. J., and D'AGUANNO, B.: HMSA integral equation theory for the square-well fluid, 331
BERMEJO, F. J. *see* Srinivasan, A.
BHUIYAN, L. B. *see* Lamperski, S.
BHUIYAN, L. B., and OUTHWAITE, C. W.: Polyelectrolyte solutions using a three component mixture, 625
BIEHL, H., SMITH, D. M., TUCKETT, R. P., YOXALL, K. R., BAUMGARTEL, H., JOCHIMS, H. W., and ROKLAND, U.: Vacuum ultraviolet fluorescence excitation spectroscopy of BBr_3 in the range 8–20 eV, 1199
BINBREK, O. S. *see* Pridmore, R. W.
BINBREK, O. S. *see* Torrie, B. H.
BLOKHIN, A. P., and GELIN, M. F.: Effect of the intensity of collisions on the orientational relaxation of spherical top molecules, 455
BODA, D., WINKELMANN, J., LISZI, J., and SZALAI, I.: Vapour–liquid equilibrium of Stockmayer fluids in applied field. Application of the *NpTE* plus test particle method and perturbation theory, 601
BÖHM, M. C., and SCHULTE, J.: Electronic structure of C_{60}: from the molecular to the solid state, 735
BOULTER, C. J. *see* Parry, A. O.
BOUR, P., TAM, C. N., WANG, B., and KEIDERLING, T. A.: Rotationally resolved magnetic vibrational circular dichroism. Experimental spectra and theoretical simulation for diamagnetic molecules, 299
BOWLES, R. K., and SPEEDY, R. J.: The vapour pressure of glassy crystals of dimers, 1349
BREYMANN, W. *see* Depondt, Ph.
BUDA, F. *see* Iarlori, S.
BÜRGER, H., GOERGENS, U., RULAND, H., QUACK, M., and SCHMITT, U.: Supersonic jet spectroscopy and high resolution FTIR study of SPF_3. Analysis of the ν_1, ν_2 and ν_3 bands, 469
BÜRGER, H., and HALONEN, L.: FTIR study of the second stretching vibrational overtone system of H_3 ^{70}GeD: example of an almost asymmetric rotor band, 227
BURTON, N. A. *see* Vincent, M. A.

CABALLOL, R. *see* García, V. M.
CARE, C. M. *see* Desplat, J.-C.
CARTER, S. *see* Puzzarini, C.
CASTELL, O. *see* García, V. M.

CHAN, K. Y. *see* Henderson, D.
CHEREPANOVA, T. A., and STEKOLNIKOV, A. V.: Layering and conformational transitions in thin surfactant films, 257
CIVIŠ, S. *see* Xu, Y.
CLARK, A. T., MADDEN, T. J., and WARREN, P. B.: Summation of electrostatic interactions in quasi-two-dimensional simulations, 1063
CONSALVO, D. *see* Kretschmer, U.
COULING, V. W., and GRAHAM, C.: Calculation and measurement of the second light-scattering virial coefficients of nonlinear molecules: a study of ethene, 779
COVENEY, F. *see* Farman, H.
COX, H., SINCLAIR, P. E., SMITH, S. J., and SUTCLIFFE, B. T.: Some calculations on the ground ^1S state of the positronium negative ion, 399
CUMMINGS, P. T. *see* Kalyuzhnyi, Yu. V.

D'AGUANNO, B. *see* Bergenholtz, J.
DALGARNO, A. *see* Jamieson, M. J.
DAS, B., and GUPTA-BHAYA, P.: Integral equation theory of polarizable spherical macroions in solution, 531
DAVIES, N. A., HARRIS, R. K., and OLIVIERI, A. C.: The effects of interplay between quadrupolar, dipolar and shielding tensors on magic-angle spinning NMR spectra: shapes of spinning sidebands, 669
DAVIS, H. T. *see* Keffer, D.
DE BERNABÉ, A. *see* Srinivasan, A.
DEEM, M. W., and BADER, J. S.: A configurational bias Monte Carlo method for linear and cyclic peptides, 1245
DE LORENZI, A., GIORGIANNI, S., STOPPA, P., and GAMBI, A.: A Fourier transform infrared study of CH_2=CHF in the ν_4 band region near 1650 cm^{-1}, 581
DE PABLO, J. J. *see* Escobedo, F. A.
DEPONDT, PH., and BREYMANN, W.: Orientation–translation and orientation–orientation correlations in neopentane plastic crystals. Computer simulation, 1015
DESPLAT, J.-C., and CARE, C. M.: A Monte Carlo simulation of the micellar phase of an amphiphile and solvent mixture, 441
D'INCAN, J. *see* Barrow, R. F.
DONATO, I. D., MAGAZÚ, S., MAISANO, G., MAJOLINO, D., MIGLIARDO, P., and POLLICINO, A.: Hydration phenomena and hydrogen bond connectivity in polymeric aqueous solutions, 1463
DORE, J. C. *see* Farman, H.
DORE, L. *see* Puzzarini, C.
DOYLE, J. M. *see* Jamieson, M. J.
DREIZLER, H. *see* Kretschmer, U.
DYKSTRA, C. E. *see* Van Voorhis, T.

EFFANTIN, C. *see* Barrow, R. F.
ESCOBEDO, F. A., and DE PABLO, J. J.: Simulation and prediction of vapour–liquid equilibria for chain molecules, 347
ESSELINK, K. *see* Smit, B.
EVANS, G. T.: Nematic phase transitions of flexible spherocylindrical molecules, 239

FARMAN, H., COVENEY, F., DORE, J. C., and BELLISSENT-FUNEL, M.-C.: Structural studies of cyclohexane C_6D_{12} by neutron diffraction. III. Temperature variation measurements for the liquid and plastic crystal phases, 1217
FERRARINI, A., MORO, G. J., and NORDIO, P. L.: Shape model for ordering properties of molecular dopants inducing chiral mesophases, 485
FISCHER, J. *see* Kriebel, C.
FIUMARA, G. *see* Saija, F.
FRENKEL, D. *see* Smit, B.
FULTON, N. G. *see* García De Polavieja, G.

GAMBI, A. *see* De Lorenzi, A.

García, V. M., Castell, O., Reguero, M., and Caballol, R.: Singlet–triplet energy gap in halogen-substituted carbenes and silylenes: a difference-dedicated configuration interaction calculation, 1395
García De Polavieja, G., Fulton, N. G., and Tennyson, J.: Quantum transport, recurrence and localization in H_3^+, 651
Gelin, M. F. *see* Blokhin, A. P.
Giaquinta, P. V. *see* Saija, F.
Ginoza, M., and Yasutomi, M.: Mathematical comment on adhesive hard sphere models for fluids, 593
Giorgianni, S. *see* De Lorenzi, A.
Goergens, U. *see* Bürger, H.
Graham, C. *see* Couling, V. W.
Grassi, A., Lombardo, G. M., March, N. H., and Pucci, R.: Correlation energies in polyatomic molecules modelled in terms of bond order, 553
Greberg, H., Kjellander, R., and Åkesson, T.: Ion–ion correlations in electric double layers from Monte Carlo simulations and integral equation calculations, 407
Grice, R. *see* Powell, L. J.
Grimm, A. R., Bacskay, G. B., and Haymet, A. D. J.: Quantum chemical studies of the solvation of the hydroxide ion (Erratum), 529
Guillot, B., and Guissani, Y.: Towards a theory of coexistence and criticality in real molten salts, 37
Guissani, Y. *see* Guillot, B.
Gupta-Bhaya, P. *see* Das, B.

Halonen, L. *see* Bürger, H.
Handy, N. C. *see* Neumann, R.
Harris, R. K. *see* Davies, N. A.
Havenith, M. *see* Xu, Y.
Haverlag, M. *see* Xu, Y.
Hayashi, M. *see* Sugawara, M.
Haymet, A. D. J. *see* Grimm, A. R.
Henderson, D., Malijevský, A., Labík, S., and Chan, K. Y.: Integral equation study of additive two-component mixtures of hard spheres, 273
Heyes, D. M.: Brownian dynamics simulations of self and collective diffusion of near hard sphere colloidal liquids: inclusion of many-body hydrodynamics, 287
Hillier, I. H. *see* Vincent, M. A.
Hilpert, G. *see* Xu, Y.
Holovko, M. F., and Vakarin, E. V.: The role of association effects in a theory of an electrified interface, 123
Holovko, M. F., and Vakarin, E. V.: Density profiles of a hard sphere chain fluid near a hard wall: application to adsorption onto a crystalline surface, 1375
Honnell, K. G. *see* Mehta, S. D.
Hribar, B., Kalyuzhnyi, Yu. V., and Vlachy, V.: Ion–ion correlations in highly asymmetrical electrolytes, 1317

Iarlori, S., Buda, F., Meier, R. J., and Van Doremaele, G. H. J.: *Ab initio* molecular dynamics study of metallocene catalysed ethylene polymerization. III. Bis- versus mono-cyclopentadienyl metallocenes, 801

Jackson, G. *see* Sear, R. P.
Jamieson, M. J., Dalgarno, A., and Doyle, J. M.: Scattering lengths for collisions of ground state and metastable state hydrogen atoms, 817
Jochims, H. W. *see* Biehl, H.
Johns, J. W. C. *see* Plíva, J.

Kalyuzhnyi, Yu. V., and Cummings, P. T.. Phase diagram for the dimerizing hard-core Yukawa fluid, 249
Kalyuzhnyi, Yu. V., and Cummings, P. T.: Phase diagram for the Lennard-Jones fluid modelled by the hard-core Yukawa fluid, 1459

KALYUZHNYI, YU. V. *see* Hribar, B.
KAPUY, E. *see* Kozmutza, C.
KEFFER, D., MCCORMICK, A. V., and DAVIS, H. T.: Unidirectional and single-file diffusion in $AlPO_4$-5: molecular dynamics investigations, 367
KEIDERLING, T. A. *see* Bour, P.
KJELLANDER, R. *see* Greberg, H.
KLEIN, M. L. *see* Martyna, G. J.
KNAACK, A. *see* Kretschmer, U.
KNOWLES, P. J., and MURRELL, J. N.: The structures and stabilities of helium cluster ions, 827
KOEHL, R. M., ODOM, G. K., and SCUSERIA, G. E.: The use of density matrix expansions for calculating molecular exchange energies, 835
KOIVUSAARI, M. *see* Pietilä, J.
KÖNIG, S. *see* Xu, Y.
KOZMUTZA, C., TFIRST, E., and KAPUY, E.: Decomposition of the total energy at the HF-SCF level and at several levels of correlation. I. A study of the interaction in clusters of He, Ne and Ar atoms, 569
KRAUSZ, E. *see* Riesen, H.
KRETSCHMER, U., CONSALVO, D., KNAACK, A., SCHADE, W., STAHL, W., and DREIZLER, H.: The ^{14}N quadrupole hyperfine structure in the rotational spectrum of laser vaporized urea observed by molecular beam Fourier transform microwave spectroscopy, 1159
KRIEBEL, C., MÜLLER, A., WINKELMANN, J., and FISCHER, J.: Excess properties of dipolar and non-polar fluid mixtures from *NpT* molecular dynamics simulations, 151
KUMAR, A. *see* McDowell, S. A. C.
KUZNETSOV, A. M., and ULSTRUP, J.: Resonance interference in a three-level system with dynamic coupling of the intermediate state to a vibrational mode, 1189

LABÍK, S. *see* Barošová, M.
LABIK, S. *see* Henderson, D.
LAGO, S. *see* Rull, L. F.
LAMPERSKI, S., OUTHWAITE, C. W., and BHUIYAN, L. B.: A modified Poisson–Boltzmann analysis of the solvent primitive model electrical double layer, 1049
LEVINE, R. D. *see* Remacle, F.
LIN, S. H. *see* Sugawara, M.
LÍSAL, M., and VACEK, V.: Molecular dynamics simulations of fluorinated ethanes, 167
LISZI, J. *see* Boda, D.
LOMBARDO, G. M. *see* Grassi, A.
LU, Z. *see* Plíva, J.

MADDEN, T. J. *see* Clark, A. T.
MAGAZÚ, S. *see* Donato, I. D.
MAISANO, G. *see* Donato, I. D.
MAJOLINO, D. *see* Donato, I. D.
MALIJEVSKÝ, A. *see* Henderson, D.
MALIJEVSKÝ, M. *see* Barošová, M.
MANOLOPOULOS, D. E. *see* Walton, A. R.
MARCH, N. H. *see* Grassi, A.
MARTYNA, G. J., TUCKERMAN, M. E., TOBIAS, D. J., and KLEIN, M. L.: Explicit reversible integrators for extended systems dynamics, 1117
MCCORMICK, A. V. *see* Keffer, D.
MCDOWELL, S. A. C., KUMAR, A., and MEATH, W. J.: On the anisotropy of the triple-dipole dispersion energy for interactions involving linear molecules, 845
MCKELLAR, A. R. W. *see* Xu, Y.
MEATH, W. J. *see* McDowell, S. A. C.
MEHTA, S. D., and HONNELL, K. G.: Generalized Flory theory for hard alkane fluids, 1285
MEIER, R. J. *see* Iarlori, S.
MIGLIARDO, P. *see* Donato, I. D.
MIURA, S.: Anomalous acoustic dynamics in liquid water: the origin of the low frequency mode, 1405

MORALES, J. J. *see* Nuevo, M. J.
MORO, G. J. *see* Ferrarini, A.
MÜLLER, A. *see* Kriebel, C.
MURRELL, J. N. *see* Knowles, P. J.
MURTHY, S. S. N.: Experimental study of dielectric relaxation in supercooled alcohols and polyols, 691

NAKANISHI, K. *see* Teramoto, Y.
NEUEFEIND, J., ZEIDLER, M. D., and POULSEN, H. F.: The atomic and electronic structure of liquid *N*-methylformamide as determined from diffraction experiments, 189
NEUMANN, R., NOBES, R. H., and HANDY, N. C.: Exchange functionals and potentials, 1
NOBES, R. H. *see* Neumann, R.
NORDIO, P. L. *see* Ferrarini, A.
NUEVO, M. J., and MORALES, J. J.: An alternative method for calculating the structure factor in two-dimensional melting, 203

ODOM, G. K. *see* Koehl, R. M.
OHTAKI, H. *see* Radnai, T.
OLIVIERI, A. C. *see* Davies, N. A.
OMELYAN, I. P.: Wavevector- and frequency-dependent dielectric constant of the Stockmayer fluid, 1273
OUTHWAITE, C. W.: Comments upon the relations between the mean electrostatic potential and the distribution functions for a single restricted primitive model electrolyte, 1039
OUTHWAITE, C. W. *see* Bhuiyan, L. B.
OUTHWAITE, C. W. *see* Lamperski, S.

PACKER, K. J., and TESSIER, J. J.: The characterization of fluid transport in a porous solid by pulsed gradient stimulated echo NMR, 267
PALMIERI, P. *see* Puzzarini, C.
PARRY, A. O., and BOULTER, C. J.: Stiffness matrix formalism for wetting transitions. I. Short-range forces, 501
PIETILÄ, J., KOIVUSAARI, M., ALANKO, S., and ANTTILA, R.: Ground state constants A_0, D_0^K and H_0^K of $^{13}CH_3I$ from normally allowed infrared absorption bands, 523
PIŚLEWSKI, N. *see* Tritt-Goc, J.
PLÍVA, J., JOHNS, J. W. C., and LU, Z.: The difference bands $\nu_{11}-\nu_4$ and $\nu_{10}-\nu_{18}$ of benzene at high resolution, 859
POLLICINO, A. *see* Donato, I. D.
POPELIER, P. L. A.: Integration of atoms in molecules: a critical examination, 1169
POULSEN, H. F. *see* Neuefeind, J.
POWELL, B. M. *see* Pridmore, R. W.
POWELL, B. M. *see* Torrie, B. H.
POWELL, L. J., WELLS, D. D., WANG, J. J., SMITH, D. J., and GRICE, R.: Role of intersystem crossing in the dynamics of the $O(^3P)+ICl$ reaction, 865
PRIDMORE, R. W., TORRIE, B. H., BINBREK, O. S., and POWELL, B. M.: Crystal structure of dichlorofluoromethane, 999
PUCCI, R. *see* Grassi, A.
PUZZARINI, C., TARRONI, R., PALMIERI, P., CARTER, S., and DORE, L.: Accurate *ab initio* prediction of the equilibrium geometry of HCO^+ and of rovibration energy levels of DCO^+, 879

QUACK, M. *see* Bürger, H.

RADNAI, T., and OHTAKI, H.: X-ray diffraction studies on the structure of water at high temperatures and pressures, 103
REGUERO, M. *see* García, V. M.
REMACLE, F., and LEVINE, R. D.: On the quantum mechanical theory of unimolecular reactions through a narrow bottleneck: the prompt and delayed dissociation, 899
RIESEN, H., WALLACE, L., and KRAUSZ, E.: Intramolecular mini-excitons in the series

$[Os(bpy)_{3-x}(bpy\text{-}d_8)_x]^{2+}$ ($x = 0$–3) in $[Zn(bpy)_3](ClO_4)_2$ and $[Ru(bpy)_3](ClO_4)_2$ (bpy = 2,2′-bipyridine), 1299

RODRÍGUEZ, G., and VICENTE, L.: Density profiles of colloidal suspensions in equilibrium inside slit pores, 213

ROKLAND, U. *see* Biehl, H.

ROSS, A. J. *see* Barrow, R. F.

RULAND, H. *see* Bürger, H.

RULL, L. F., VEGA, C., and LAGO, S.: Absence of criticality in the reference hypernetted chain equation for short ranged potentials, 1235

SADUS, R. J.: Molecular simulation of the vapour–liquid equilibria of pure fluids and binary mixtures containing dipolar components: the effect of Keesom interactions, 979

SAIJA, F., FIUMARA, G., and GIAQUINTA, P. V.: Fourth virial coefficient of hard-body mixtures in two and three dimensions, 991

SALAM, A.: Intermolecular energy shifts between two chiral molecules in excited electronic states, 919

SANCTUARY, B. C. *see* Ageev, S. Z.

SANCTUARY, B. C. *see* Zhou, J.

SANDLER, S. I. *see* Tavares, F. W.

SCHADE, W. *see* Kretschmer, U.

SCHAEFER III, H. F. *see* Xie, Y.

SCHMITT, U. *see* Bürger, H.

SCHULTE, J. *see* Böhm, M. C.

SCUSERIA, G. E. *see* Koehl, R. M.

SEAR, R. P., and JACKSON, G.: The ring integral in a thermodynamic perturbation theory for association, 517

SINCLAIR, P. E. *see* Cox, H.

SMIT, B., ESSELINK, K., and FRENKEL, D.: Solid–solid and liquid–solid phase equilibria for the restricted primitive model, 159

SMITH, D. J. *see* Powell, L. J.

SMITH, D. M. *see* Biehl, H.

SMITH, J. C. *see* Souaille, M.

SMITH, S. J. *see* Cox, H.

SMITH, W. R. *see* Barošová, M.

SOUAILLE, M., and SMITH, J. C.: Molecular dynamics analysis of charge fluctuations associated with far-infrared absorption in water, 1333

SPEEDY, R. J. *see* Bowles, R. K.

SRINIVASAN, A., BERMEJO, F. J., and DE BERNABÉ, A.: A Brillouin light-scattering investigation of the glass-transition in low molecular weight network glass-formers, 1439

STAHL, W. *see* Kretschmer, U.

STEKOLNIKOV, A. V. *see* Cherepanova, T. A.

STOPPA, P. *see* De Lorenzi, A.

SUGAWARA, M., HAYASHI, M., SUZUKI, S., and LIN, S. H.: Theoretical wave packet study on pump–probe stimulated emission signals from electron transfer systems in condensed phases, 637

SUTCLIFFE, B. T. *see* Cox, H.

SUZUKI, S. *see* Sugawara, M.

SVENSSON, B., and WOODWARD, C. E.: Simulations of a confined polymer fluid at constant chemical potential, 1363

SZALAI, I. *see* Boda, D.

TAHER, F. *see* Barrow, R. F.

TAM, C. N. *see* Bour, P.

TARRONI, R. *see* Puzzarini, C.

TAVARES, F. W., and SANDLER, S. I.: Vapour–liquid equilibria of exponential-six fluids, 1471

TENNYSON, J. *see* García De Polavieja, G.

TERAMOTO, Y., and NAKANISHI, K.: Application of a density functional method to the molecular orientation of triatomic fluids near a solid–fluid interface, 319

TESSIER, J. J. *see* Packer, K. J.

TFIRST, E. *see* Kozmutza, C.
TOBIAS, D. J. *see* Martyna, G. J.
TOPOUZKHANIAN, A. *see* Barrow, R. F.
TORRIE, B. H., BINBREK, O. S., and POWELL, B. M.: Structure of solid fluoroform, 1007
TORRIE, B. H. *see* Pridmore, R. W.
TRITT-GOC, J., and PIŚLEWSKI, N.: The influence of the motion of water molecules on proton dipolar coupling tensors in $Sr[Fe(CN)_5NO].4H_2O$, 139
TUCKERMAN, M. E. *see* Martyna, G. J.
TUCKETT, R. P. *see* Biehl, H.

ULSTRUP, J. *see* Kuznetsov, A. M.

VACEK, V. *see* Lísal, M.
VAKARIN, E. V. *see* Holovko, M. F.
VAN DOREMAELE, G. H. J. *see* Iarlori, S.
VAN LEEUWEN, M. E.: Prediction of the vapour–liquid coexistence curve of alkanols by molecular simulation, 87
VAN VOORHIS, T., and DYKSTRA, C. E.: Hydrogen bonding in mixed water tetramers, 931
VEGA, C. *see* Rull, L. F.
VERGÈS, J. *see* Barrow, R. F.
VICENTE, L. *see* Rodríguez, G.
VINCENT, M. A., BURTON, N. A., and HILLIER, I. H.: Prediction of the structures and vibrational frequencies of oxywater and 1- and 2-hydrotrioxy by the study of oxyhydrogen species, using density functional theory and high level *ab initio* methods, 945
VLACHY, V. *see* Hribar, B.

WAGNER, N. J. *see* Bergenholtz, J.
WALLACE, L. *see* Riesen, H.
WALTON, A. R., and MANOLOPOULOS, D. E.: A new semiclassical initial value method for Franck–Condon spectra, 961
WANG, B. *see* Bour, P.
WANG, J. J. *see* Powell, L. J.
WANNOUS, G. *see* Barrow, R. F.
WARREN, P. B. *see* Clark, A. T.
WELLS, D. D. *see* Powell, L. J.
WHEATLEY, R. J.: The solvation of sodium ions in water clusters: intermolecular potentials for Na^+–H_2O and H_2O–H_2O, 1083
WINKELMANN, J. *see* Boda, D.
WINKELMANN, J. *see* Kriebel, C.
WOODWARD, C. E. *see* Svensson, B.
WRIGHT, J. C. *see* Zilian, A.
WU, P. *see* Bergenholtz, J.

XIE, Y., and SCHAEFER III, H. F.: Singlet–triplet splitting of carbohydroxycarbene, 389
XU, Y., CIVIŠ, S., MCKELLAR, A. R. W., KÖNIG, S., HAVERLAG, M., HILPERT, G., and HAVENITH, M.: High-K ('propeller') states in the infrared spectrum of the Ar–CO complex, 1071

YASUTOMI, M. *see* Ginoza, M.
YE, C. *see* Zhou, J.
YOXALL, K. R. *see* Biehl, H.

ZEIDLER, M. D. *see* Neuefeind, J.
ZHOU, J., YE, C., and SANCTUARY, B. C.: Response of a coupled two-spin system to on-resonance amplitude modulated RF pulses, 679
ZILIAN, A., and WRIGHT, J. C.: Polarization effects in four-wave mixing of isotropic samples, 1261